

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
11B: Colo-----	50	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Too clayey	0.50				
Ely-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
		Too clayey	0.50			Depth to saturated zone	0.09
27B: Terril-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
41B: Sparta-----	95	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Seepage	1.00
		Too Sandy	1.00			Too Sandy	0.50
41C: Sparta-----	95	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Seepage	1.00
		Too Sandy	1.00			Too Sandy	0.50
41D: Sparta-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Seepage	1.00
		Too Sandy	1.00	Slope	0.63	Slope	0.63
		Slope	0.63			Too Sandy	0.50
43: Bremer-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Too clayey	0.50	Flooding	0.40	Hard to compact	1.00
		Flooding	0.40			Too clayey	0.50
63C: Chelsea-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Seepage	1.00
		Too Sandy	1.00			Too Sandy	0.50

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
83B: Kenyon-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
83C: Kenyon-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
83C2: Kenyon-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
83D2: Kenyon-----	95	Very limited Depth to saturated zone Slope	1.00 0.63	Very limited Depth to saturated zone Slope	1.00 0.63	Somewhat limited Slope	0.63
84: Clyde-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone	1.00
88: Nevin-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
109C: Backbone-----	90	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Seepage	1.00 0.50
110B: Lamont-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Somewhat limited Seepage Too Sandy	0.50 0.50

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
110C: Lamont-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Somewhat limited Seepage Too Sandy	0.50 0.50
118: Garwin-----	100	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
119: Muscatine-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
120: Tama-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
120B: Tama-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
133: Colo-----	100	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
135: Coland-----	100	Very limited Flooding Depth to saturated zone Seepage Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
150B: Hanska-----	100	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 0.50
151: Marshan-----	100	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Too Sandy Seepage	1.00 1.00 1.00
152: Marshan-----	100	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Too Sandy Seepage	1.00 1.00 1.00
153: Shandep-----	100	Very limited Depth to saturated zone Seepage Too clayey	1.00 1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
162C: Downs-----	95	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
162C2: Downs-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
171: Bassett-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
171B: Bassett-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
171C2: Bassett-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
171D2: Bassett-----	95	Very limited Depth to saturated zone Slope	1.00 0.63	Very limited Depth to saturated zone Slope	1.00 0.63	Somewhat limited Slope	0.63
171F: Bassett-----	90	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Depth to saturated zone Slope	1.00 1.00	Very limited Slope	1.00
173: Hoopeston-----	95	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 0.86
173B: Hoopeston-----	95	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 0.86
174: Bolan-----	85	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
174B: Bolan-----	85	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
174C2: Bolan-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
175: Dickinson-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
175B: Dickinson-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
175C: Dickinson-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
177: Saude-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
177B: Saude-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
177C: Saude-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
178: Waukee-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
178B: Waukee-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
184: Klinger-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.09

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
198B: Floyd-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Somewhat limited Depth to saturated zone	0.09
201B: Coland-----	60	Very limited Flooding Depth to saturated zone Seepage Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
Terril-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
213: Rockton-----	100	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock	1.00
213B: Rockton-----	100	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock	1.00
214B: Rockton-----	100	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock	1.00
214C: Rockton-----	100	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock	1.00
214C2: Rockton-----	100	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
WASTE DISPOSAL INTERPRETATIONS

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
221B: Palms-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
225: Lawler-----	95	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Seepage Too Sandy Depth to saturated zone	1.00 0.50 0.09
226: Lawler-----	95	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Seepage Too Sandy Depth to saturated zone	1.00 0.50 0.09
241C2: Saude-----	55	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
Burkhardt-----	35	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Gravel content	1.00 1.00 0.01
241E2: Saude-----	55	Very limited Seepage Too Sandy Slope	1.00 1.00 0.96	Very limited Seepage Slope	1.00 0.96	Very limited Too Sandy Seepage Slope	1.00 1.00 0.96
Burkhardt-----	35	Very limited Seepage Too Sandy Slope	1.00 1.00 0.96	Very limited Seepage Slope	1.00 0.96	Very limited Too Sandy Seepage Slope Gravel content	1.00 1.00 0.96 0.01

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
284: Flagler-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
284B: Flagler-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
284C: Flagler-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
285C: Burkhardt-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage Gravel content	1.00 1.00 0.01
350: Waukegan-----	90	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
354: Aquolls-----	100	Not rated		Not rated		Not rated	
377B: Dinsdale-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
377C2: Dinsdale-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
382: Maxfield-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
391B: Clyde-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00	Very limited Depth to saturated zone	1.00
Floyd-----	40	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Seepage	1.00	Somewhat limited Depth to saturated zone	0.09
394: Ostrander-----	95	Not limited		Not limited		Not limited	
394B: Ostrander-----	85	Not limited		Not limited		Not limited	
394C: Ostrander-----	95	Not limited		Not limited		Not limited	
394C2: Ostrander-----	90	Not limited		Not limited		Not limited	
398: Tripoli-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
399: Readlyn-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.09
404: Thorp-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
407B: Schley-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.86
408B: Olin-----	100	Not limited		Very limited Seepage	1.00	Not limited	

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
408C: Olin-----	100	Not limited		Very limited Seepage	1.00	Not limited	
412C: Sogn-----	100	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
412F: Sogn-----	100	Very limited Depth to bedrock Slope Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00
428B: Ely-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
430: Ackmore-----	95	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
457: Du Page-----	95	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
485: Spillville-----	95	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
585: Spillville-----	40	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
Coland-----	30	Very limited Flooding Depth to saturated zone Seepage Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
621: Houghton-----	95	Very limited Depth to saturated zone Content of organic matter Seepage	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Depth to saturated zone Content of organic matter Seepage	1.00 1.00 0.16
662D: Mt. Carroll-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
662D3: Mt. Carroll-----	95	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
662F: Mt. Carroll-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
662F3: Mt. Carroll-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
713B: Winneshiek-----	95	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock	1.00

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
714B: Winneshiek-----	100	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock	1.00
733: Calco-----	95	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
771B: Waubeek-----	100	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
777: Wapsie-----	95	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
777B: Wapsie-----	85	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
781B: Lourdes-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
781C2: Lourdes-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
782B: Donnan-----	95	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey Hard to compact Depth to saturated zone	1.00 1.00 0.47
782C2: Donnan-----	95	Very limited Depth to saturated zone Too clayey	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Too clayey Hard to compact Depth to saturated zone	1.00 1.00 0.47
783B: Cresco-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
783C: Cresco-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
783C2: Cresco-----	90	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
784B: Riceville-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09
798B: Protivin-----	95	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.09

Sanitary Facilities - Part 2.

Butler County, Iowa

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
976: Raddle-----	90	Not limited		Not limited		Not limited	
976B: Raddle-----	90	Not limited		Not limited		Not limited	
981B: Worthen-----	100	Not limited		Not limited		Not limited	
1585: Spillville-----	40	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
Coland-----	30	Very limited Flooding Depth to saturated zone Seepage Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated		Not rated	
5030: Pits, Limestone Quarry-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	95	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	